CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888       11       222222
GG         88    88     111      22    22
GG         88    88      11          222
GG  GGGG    888888       11        222
GG    GG   88    88      11       22
GG    GG   88    88      11      22
 GGGGGG    888888    11111111  22222222
```

```
WW     WW
WW     WW
WW     WW
WW WW WW
WWWWWWWW
WWW   WWW
WW     WW
```

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JADW

77/03/26. 09.47.22.

23 MAR - NOTICE OF SPRING VACATION SCHEDULE. NEW VERSION OF BMD P-SERIES. SEE THE BULLET.

CROSSTABS

UOBPAR, OFFIBP, PROPAR, AFTPAR, CARCNG, KIDIP, POSPAR, SOCC, OFFMAR, BY GENSER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDTP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. 55-192

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=VOBPAR(0,6),OFFIBP(0,9),PROPAR(0,9),AFTPAR(0,9),CARCNG
               (0,9),KIDIP(0,7),POSPAR(1,7),SOCC(0,19),OFFMAR(0,20),/GENSER(1,7)
               /TABLES=VOBPAR,OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,POSPAR,SOCC,
               OFFMAR BY GENSER
STATISTICS     ALL
READ INPUT DATA
```

043600 CM NEEDED FOR CROSSTABS

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

VOBPAR BY GENSER

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
OFFIBP BY GENSER
* PAGE 1 OF 1

OFFIBP \ GENSER	1 FIRST OF FAMILY	2 ONE GEN	3 TWO GEN	4 THREE GEN.	5 FOUR GEN	6 FIVE GEN.	7 SIX GEN.	ROW TOTAL
2 First Office	192	156	54	17	6	3	1	439
	43.7	35.5	14.6	3.9	1.4	.7	.2	73.7
	65.8	78.8	86.5	77.3	100.0	100.0	100.0	
	32.2	26.2	10.7	2.9	1.0	.5	.2	
3 Member of Prov. Parl	50	23	4	1	0	0	0	78
	64.1	29.5	5.1	1.3	0	0	0	13.1
	17.1	11.6	5.4	4.5	0	0	0	
	8.4	3.9	.7	.2	0	0	0	
4 Member of Comptes or Aides	7	4	0	1	0	0	0	12
	58.3	33.3	0	8.3	0	0	0	2.0
	2.4	2.0	0	4.5	0	0	0	
	1.2	.7	0	.2	0	0	0	
5 Member of Grand Conseil	15	9	2	1	0	0	0	27
	55.6	33.3	7.4	3.7	0	0	0	4.5
	5.1	4.5	2.7	4.5	0	0	0	
	2.5	1.5	.3	.2	0	0	0	
6 Royal Financial Official	4	0	1	1	0	0	0	6
	66.7	0	16.7	16.7	0	0	0	1.0
	1.4	0	1.4	4.5	0	0	0	
	.7	0	.2	.2	0	0	0	
7 Household Official	2	0	0	0	0	0	0	2
	100.0	0	0	0	0	0	0	.3
	.7	0	0	0	0	0	0	
	.3	0	0	0	0	0	0	
9 Position, not above	22	6	3	1	0	0	0	32
	68.8	18.8	9.4	3.1	0	0	0	5.4
	7.5	3.0	4.1	4.5	0	0	0	
	3.7	1.0	.5	.2	0	0	0	
COLUMN TOTAL	292	198	74	22	6	3	1	596
	49.0	33.2	12.4	3.7	1.0	.5	.2	100.0

RAW CHI SQUARE = 32.24649 WITH 36 DEGREES OF FREEDOM. SIGNIFICANCE = .6478
CRAMER'S V = .09496
CONTINGENCY COEFFICIENT = .22656
LAMBDA (ASYMMETRIC) = 0 WITH OFFIBP DEPENDENT. = 0 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = 0
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .03484 WITH OFFIBP DEPENDENT. = .02754 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .03076
KENDALL'S TAU B = -.16312. SIGNIFICANCE = .0000

KENDALL≠S TAU C = -.09983. SIGNIFICANCE = .0000
GAMMA = -.32470
SOMERS≠S D (ASYMMETRIC) = -.13524 WITH OFFIBP DEPENDENT. = -.19676 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.16030
ETA = .15074 WITH OFFIBP DEPENDENT.
ETA = .18162 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 203

DATA DOCUMENTS/INC. 55-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
PROPAR BY GENSER
* * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU C = -.10469. SIGNIFICANCE = .0881
GAMMA = -.20385
SOMERS≠S D (ASYMMETRIC) = -.15150 WITH PROPAR DEPENDENT. = -.10505 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.12407
ETA = .16667 WITH PROPAR DEPENDENT.
ETA = .25486 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 709

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
AFTPAR BY GENSER
* * * * * * * * * * * * * * * * * * \

LAMBDA (ASYMMETRIC) = .00450 WITH AFTPAR DEPENDENT. = .01761 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .01186
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .02698 WITH AFTPAR DEPENDENT. = .02516 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .02604
KENDALL≠S TAU B = .11381. SIGNIFICANCE = .0013
KENDALL≠S TAU C = .07709. SIGNIFICANCE = .0013
GAMMA = .19065
SOMERS≠S D (ASYMMETRIC) = .10618 WITH AFTPAR DEPENDENT. = .12199 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .11353
ETA = .12920 WITH AFTPAR DEPENDENT.
ETA = .16957 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 221

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

CARCNG BY GENSER

* * * * * * * * * * * * * * * * * * \

LAMBDA (ASYMMETRIC) = .02717 WITH CARCNG DEPENDENT. = .01389 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .02134
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .02679 WITH CARCNG DEPENDENT. = .03475 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .03025
KENDALL≠S TAU B = .04926. SIGNIFICANCE = .0859
KENDALL≠S TAU C = .03931. SIGNIFICANCE = .0859
GAMMA = .07159
SOMERS≠S D (ASYMMETRIC) = .05332 WITH CARCNG DEPENDENT. = .04552 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .04911
ETA = .14308 WITH CARCNG DEPENDENT.
ETA = .14397 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 230

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.) NUMBER OF CHILDREN WHO FOLLOWED THEIR FATHER IN PARL.

* CROSSTABULATION OF *

KIDIP BY GENSER

* * * * * * * * * * * * * * * * * * * \

NUMBER OF MISSING OBSERVATIONS = 189

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.) — POSITIONS HELD IN PARLEMENT —

* C R O S S T A B U L A T I O N O F *

POSPAR BY GENSER

* * * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU C = -.01107. SIGNIFICANCE = .3144
GAMMA = -.02334
SOMERS≠S D (ASYMMETRIC) = -.01571 WITH POSPAR DEPENDENT. = -.01436 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.01500
ETA = .12865 WITH POSPAR DEPENDENT.
ETA = .22705 WITH GENSER DEPENDENT.

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

SOCC BY GENSER

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

CROSSTABULATION OF SOCC BY GENSER

SOCC	COUNT / ROW PCT / COL PCT / TOT PCT	FIRST OF FAMILY (1)	ONE GEN (2)	TWO GEN. (3)	THREE GEN. (4)	FOUR GEN. (5)	FIVE GEN. (6)	SIX GEN. (7)	ROW TOTAL
10 Surintendant des finances		3	3	1	3	0	0	0	10
		30.0	30.0	10.0	30.0	0	0	0	1.3
		.7	1.3	1.1	12.0	0	0	0	
		.4	.4	.1	.4	0	0	0	
11 Intendant		3	2	0	0	1	0	0	6
		50.0	33.3	0	0	16.7	0	0	.8
		.7	.9	0	0	11.1	0	0	
		.4	.3	0	0	.1	0	0	
12 Ambassadeur		10	4	3	1	0	0	0	18
		55.6	22.2	16.7	5.6	0	0	0	2.3
		2.4	1.7	3.4	4.0	0	0	0	
		1.3	.5	.4	.1	0	0	0	
14 Eveque		9	4	3	1	0	0	0	17
		52.9	23.5	17.6	5.9	0	0	0	2.2
		2.1	1.7	3.4	4.0	0	0	0	
		1.2	.5	.4	.1	0	0	0	
15 Proc. Gen or Avo. Gen		5	1	0	0	0	0	0	6
		83.3	16.7	0	0	0	0	0	.8
		1.2	.4	0	0	0	0	0	
		.6	.1	0	0	0	0	0	
16 Member of Conseil Prive'		9	2	1	1	0	0	0	13
		69.2	15.4	7.7	7.7	0	0	0	1.7
		2.1	.9	1.1	4.0	0	0	0	
		1.2	.3	.1	.1	0	0	0	
17 Gouverneur		0	1	0	0	0	0	0	1
		0	100.0	0	0	0	0	0	.1
		0	.4	0	0	0	0	0	
		0	.1	0	0	0	0	0	
18 High Officehold Official		5	2	1	0	0	0	0	8
		62.5	25.0	12.5	0	0	0	0	1.0
		1.2	.9	1.1	0	0	0	0	
		.6	.3	.1	0	0	0	0	
COLUMN TOTAL		423	232	88	25	9	3	1	781
		54.2	29.7	11.3	3.2	1.2	.4	.1	100.0

(CONTINUED)

DATA DOCUMENTS/INC. 55-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *
SOCC BY GENSER
* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.) Vital Office & Marriage

* CROSSTABULATION OF *

OFFMAR BY GENSER

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

OFFMAR BY GENSER

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
OFFMAR BY GENSER
* * * * * * * * * * * * * * * * * * \